
**Plastics — Determination of tensile
properties —**

**Part 1:
General principles**

*Plastiques — Détermination des propriétés en traction —
Partie 1: Principes généraux*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle and methods	6
4.1 Principle	6
4.2 Method	6
5 Apparatus	7
5.1 Testing machine	7
5.1.1 General	7
5.1.2 Test speeds	7
5.1.3 Grips	7
5.1.4 Force indicator	8
5.1.5 Strain indicator	8
5.1.6 Recording of data	10
5.2 Devices for measuring width and thickness of the test specimens	11
6 Test specimens	11
6.1 Shape and dimensions	11
6.2 Preparation of specimens	11
6.3 Gauge marks	11
6.4 Checking the test specimens	11
6.5 Anisotropy	12
7 Number of test specimens	12
8 Conditioning	13
9 Procedure	13
9.1 Test atmosphere	13
9.2 Dimensions of test specimen	13
9.3 Gripping	13
9.4 Prestresses	14
9.5 Setting of extensometers	14
9.6 Test speed	14
9.7 Recording of data	15
10 Calculation and expression of results	15
10.1 Stress	15
10.2 Strain	15
10.2.1 Strains determined with an extensometer	15
10.2.2 Nominal strain	16
10.3 Tensile modulus	17
10.3.1 General	17
10.3.2 Chord slope	17
10.3.3 Regression slope	17
10.4 Poisson's ratio	17
10.5 Statistical parameters	18
10.6 Significant figures	18
11 Precision	18
12 Test report	18
Annex A (informative) Determination of strain at yield	20
Annex B (informative) Extensometer accuracy for the determination of Poisson's ratio	23